AK

Application No. Applicant(s) 09/710,966 LANDES, SCOTT D. Notice of Allowability Examiner Art Unit R. Alexander Smith 2859 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed on November 28, 2005. 2. The allowed claim(s) is/are 1-6.8,9.11 and 12. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🗌 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other __.

Application/Control Number: 09/710,966 Page 2

Art Unit: 2859

Reasons for Allowance

1. The following is an examiner's statement of reasons for allowance of claims 1-6, 8, 9, 11 and 12.

For independent claim 1 the prior art of record does not disclose or clearly suggest a marker post having a one-piece hollow elongated member composed of a flexibly resilient polymer plastic, and a first flexible living hinge, the anchoring flap being attached to the elongated member by said first flexible living hinge, said anchoring flap moveable from a first closed position to a second open position to prevent withdrawal of said elongated member from an embedded position and vice versa in combination with the remaining limitations of the claim.

Claims 2-6 are allowed due to their dependency on allowed claim 1.

For independent claim 1 the prior art of record does not disclose or clearly suggest a hollow anchoring marker post having a one-piece triangular shaped elongated member composed of a flexibly resilient polymer plastic; first, second and third flexible living hinges; the first, second and third anchoring flaps respectively being attached to the elongated member by said first, second and third flexible living hinges; each of the anchoring flaps moveable from a first closed position to a second open position to prevent withdrawal of said elongated member from an embedded position and vice versa whereby the flaps has a sufficient memory to stay in the

Art Unit: 2859

open position until the post can be embedded in combination with the remaining limitations of the claim.

Page 3

Claims 9, 11 and 12 are allowed due to their dependency on allowed claim 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 2. The prior art made of record is considered pertinent to Applicant's disclosure. The prior art cited in PTO-892 disclose related posts and elongate members.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to R. Alexander Smith whose telephone number is 571-272-2251. The examiner can normally be reached on Monday through Friday from 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

R. Alexander Smith Primary Examiner

Technology Center 2800

RAS January 4, 2006